References

- Callum C. The UK smoking epidemic: deaths in 1995. London: Health Education Authority, 1998.
- 2. Peto R, Lopez AD, Boreham J, Thun M, Heath Jr C. Mortality from tobacco in developed countries: indirect estimation from national vital statistics. *Lancet* 1992; **339**: 1268-78.
- 3. Our Healthier Nation. Consultation Paper presented to Parliament by the Secretary of State for Health. February 1998. London: The Stationery Office, 1998.
- 4. Wald N, Nicolaides-Bouman A, eds. *UK Smoking Statistics*. Oxford: Oxford University Press, 1988.
- 5. The figure of 13 million smokers is based on estimates of cigarette smokers in the UK, obtained from the following sources:

Thomas M, Walker A, Wilmot A, Bennett N, Office for National *Statistics. Living in Britain: results from the 1996 General Household Survey.* London: The Stationery Office, 1998. ONS Monitor Population and Health 1996, PP1 97\1. London: Office for National Statistics, 28 August 1997.

Northern Ireland Continuous Household Survey, 1996/7. Northern Ireland Statistics and Research Agency, 1997.

- 6. Thomas M, Walker A, Wilmot A, Bennett N, Office for National Statistics. *Living in Britain:* results from the 1996 General Household Survey. London: The Stationery Office, 1998.
- 7. Lifestyle Changes in Wales. Health in Wales Survey 1996. (Technical Report no 27).
- 8. Northern Ireland Continuous Household Survey, 1996/7. Northern Ireland Statistics and Research Agency, 1997.
- 9. Lindsey Jarvis, Office for National Statistics. *Smoking among secondary school children in* 1996: England. London: The Stationery Office, 1997
- 10. Joosens L. *The effectiveness of banning advertising for tobacco products*. International Union Against Cancer, October 1997.
- 11. World Health Organisation. Health for all. Database: European region, 1998
- 12. Pierce JP, Gilpin EA, Emery SL, White MM, Rosbrook B, Berry CC. Has the California tobacco control program reduced smoking? *JAMA* 1998; **280**: 893-899.
- 13. Peto R, Lopez AD, Boreham J *et al.*: Imperial Cancer Research Fund and World Health Organisation. *Mortality from smoking in developing countries* 1950-2000. Oxford: Oxford University Press, 1994.
- 14. Office for National Statistics. *Population Trends Number 93, Autumn 1998.* London: The Stationery Office, 1998.
- 15. Doll R, Peto R. The causes of cancer: quantitative estimates of avoidable risks of cancer in the United States today. *J Natl Cancer Inst* 1981; **66**: 1191-1308.
- 16. Law MR, Hackshaw AK. A meta-analysis of cigarette smoking, bone mineral density and risk of hip fracture: recognition of a major effect. *BMJ* 1997; **315**: 841-846.
- 17. Meltzer M, Gill B, Petticrew M, Hinds K, Office for Population and Census Surveys. *Surveys of Psychiatric Morbidity, Report 3: Economic activty and social functioning of adults with psychiatric disorders*. London: Her Majesty's Stationery Office, 1994.

- 18. Doll R, Crofton J, eds. *British Medical Bulletin: Tobacco and Health*. London: The Royal Society of Medicine Press, 1996; (vol 52).
- 19. Buck D, Godfrey C, Parrott S, Raw M, University of York Centre for Health Economics. *Cost effectiveness of smoking cessation interventions*. London: Health Education Authority, 1997.
- 20. Hackshaw AK, Law M, Wald NJ. The accumulated evidence on lung cancer and environmental tobacco smoke. *BMJ* 1997; **315**: 980-8.
- 21. Law MR, Morris JK, Wald NJ. Environmental tobacco smoke exposure and ischaemic heart disease: an evaluation of the evidence. *BMJ* 1997; **315**: 973-80.
- 22. Cook DG, Strachan DP, Anderson Ross H. Series of papers: health effects of passive smoking. *Thorax* 1997-1998. Eds Britton JR, Weiss ST.
- 23. Royal College of Physicians of London. Smoking and the young: a report of a working party of the Royal College of Physicians. London: Royal College of Physicians, 1992.
- 24. Department of Health and Social Security, Department of Health and Social Services Northern Ireland, Scottish Home and Health Department. *Fourth report of the Independent Scientific Committee on Smoking and Health*. London: Her Majesty's Stationery Office, 1988. Chairman: Sir P Froggatt.
- 25. Peto R, Jarvis M. [Personal communication.]
- 26. Drever F, Whitehead M, eds. *Health inequalities: decennial supplement: Office for National Statistics*. London: The Stationery Office, 1997. (Series DS; no. 15).
- 27. Acheson D. *Independent inquiry into inequalities in health*. London: The Stationery Office, 1998. Chairman: Sir D Acheson.
- 28. Dorset R, Marsh A. *The Health Trap Poverty, Smoking and Lone Parenthood*. London (1998). The Policy Studies Institute.
- 29. Labour Party. New Labour because Britain deserves better. London: Labour Party, 1997.
- 30. Townsend J, Roderick P, Cooper J. Cigarette smoking by socioeconomic group, sex, and age: effects of price, income, and health publicity. *BMJ* 1994; **309**: 923-927.
- 31. Sutton S. How ordinary people in Great Britain perceive the health risks of smoking. *J Epidemiol Community Health* 1998; **52**: 338-339.
- 32. Freeth S. Smoking-related behaviour and attitudes, 1997: a report on research using the ONS Omnibus Sur vey produced on behalf of the Department of Health. London: The Stationery Office, 1998.
- 33. United States Department of Health and Human Services. *The health benefits of smoking cessation a report of the Surgeon General*. US DHHS. Public Health Service, Centers for Disease Control. Center for Chronic disease prevention and health promotion. Office on smoking and health. DHHS Publication number (CDC) 90-8416,1990.
- 34. Raw M, McNeill A, West R. Smoking Cessation Guidelines for Health Professionals. A Guide to Effective Smoking Cessation Interventions for the Health Care System. *Thorax*, December 1998, 53, Supplement 5.
- 35. Anthonisen NR, Connett JE, Kiley JP, et al. Effects of smoking intervention and the use of an inhaled anticholinergic bronchodilator on the rate of decline of FEV1: the Lung Health Study. *JAMA* 1994; **272**: 1497-1505.

- 36. QUIT, Helping Smokers to Quit. London: QUIT, 1994, updated 1996.
- 37. Fowler G. BMJ 1997; 314: 1827 and references cited therein.
- 38. Marsh A, McKay S. *Poor smokers*. London: Policy Studies Institute, 1994. (Research Report; no. 771).
- 39. Hecht SS, Carmella SG, Chen ML, Salzberger U, Tollner U, Lackmann GM. Metabolites of the tobacco-specific lung carcinogen 4-(methylnitrosoamino)-1-(3-pyridyl)-1-butanone (nnk) in the urine of newborn infants. *Abstracts Papers Am Chem Soc* 1998: **216**; 32.
- 40. Foster K, Lader D, Cheesbrough S. *Infant Feeding 1995: Office for National Statistics*. London: The Stationery Office, 1997.
- 41. University of York NHS Centre for Reviews and Dissemination, *Effectiveness Matters*, (1998), Vol 3, Issue 1.
- 42. Barron J. Young teenagers and smoking in 1997. London: Office for National Statistics.
- 43. Bjartviet K, Lund KE. *The Norwegian ban on advertising of tobacco products: has it worked?* Norwegian Cancer Society & Norwegian Health Association.
- 44. Health Education Authority, London. [Unpublished research.]
- 45. Health and Safety Executive. *Passive smoking at work*. Sheffield: Health and Safety Executive, 1998.
- 46. Cigarette wars in Africa. Lancet 1997; **350**: 793.
- 47. Office for National Statistics: Business Monitor 210: Q2. Overseas trade analysed in terms of Industries. London: The Stationery Office, 1998.
- 48. Parrott S, Godfrey C, Raw M, West R, McNeill A. Guidance for Commissioners on the Cost Effectiveness of Smoking Cessation Interventions. *Thorax* December 1998, **53**, Supplement 5.

References for Second Hand Smoke Fact Sheet

This section is largely based from a document prepared by Action on Smoking and Health/United Kingdom entitled, Fact Sheet No. 12, What's In A Cigarette? August 2001. Available online at:

http://newash.org.uk/files/documents/ASH_117/ASH_117.html. Accessed 11.10.2007 _ National Cancer Institute. Risks Associated with Smoking Cigarettes with Low Machine-Measured Yields of Tar and Nicotine. Smoking and Tobacco Control Monograph No. 13. Bethesda, MD: U.S. Department of Health and Human Services, National Institutes of Health, National Cancer Institute, NIH Pub. No. 02-5074, October 2001.

- Hoffman D, Hoffman I (2003). The Changing Cigarette: Chemical Studies and Bioassays. http://dccps.nci.nih.gov/tcrb/monographs/13/m13 5.pdf Chapter 5 of NCI Monograph 13 October 28, 2003, Clarification: Table 5.4 of the Monograph (that lists the 69 carcinogens) is missing a carcinogen, namely MeAaC (2-amino-3-methyl-9-H-pyrido[2,3-b]indole, which should be inserted under "under "Miscellaneous Organic Compounds".
- For a complete list of the carcinogens in tobacco smoke, see National Cancer Institute (2001). Risks associated with Smoking Cigarettes with Low Machine-Measured Yields of Tar and Nicotine. Smoking and Tobacco Control Monograph No. 13, Bethesda, MD: U.S. Department of Health and Human Services, National Institutes of Health, National Cancer Institute, NIH Pub. No. 02-5074, October 2001. Available online at: http://dccps.nci.nih.gov/tcrb/monographs/13/m13_5.pdf. See, also Health Harms from Secondhand Smoke. A Factsheet from the Campaign for Tobacco-Free Kids. Available online at: http://tobaccofreekids.org/research/factsheets/pdf/0103.pdf. Accessed on 11.10.2007
- The World Health Organization, 2003. WHO Framework Convention on Tobacco Control. Available online at: http://www.who.int/tobacco/fctc/text/final/en/. Accessed 11.10.2007
- World Health Organization, International Agency for Research on Cancer. Tobacco Smoke and Voluntary Smoking. Monograph Series, Volume 83. Available online at: http://monographs.iarc.fr/ENG/Monographs/vol83/volume83.pdf. Accessed 11.10.2007
- U.S. Department of Health and Human Services. *The Health Consequences of Involuntary Exposure to Tobacco Smoke: A Report of the Surgeon General*. U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health, 2006. Available online at: http://www.surgeongeneral.gov/library/secondhandsmoke/report. Accessed 11.01.07
- National Toxicology Program, Public Health Service, U.S. Department of Health and Human Services (HHS) (2005). Report on Carcinogens. Eleventh Edition, January 2005. Available online at: http://ntp.niehs.nih.gov/ntp/roc/eleventh/profiles/s176toba.pdf. Accessed on 11.10.2007
- Whincup, PH et al (2004). Passive smoking and risk of coronary heart disease and stroke: prospective study with cotinine measurement. *British Medical Journal*, doi:10.1136/bmj.38146.427188.55, June 30, 2004. Available online at: http://bmi.bmijournals.com/cgi/reprint/bmi.38146.427188.55v1. Accessed on 11.10.2007
- Glantz SA. Meta-analysis of the effects of smoke-free laws on acute myocardial infarction: an update. *Preventive Medicine*. 2008. In press.
- J. Pell, et al (2008). Smoke-free legislation and hospitalizations for Acute Coronary Syndrome. The New England Journal of Medicine. Vol. 359, No. 5, pp.482-191.
- Hole D. (2005). Passive smoking and associated causes of death in adults in Scotland. In: A report for the Scotlish Executive (2005) Edinburgh: NHS Health Scotland. Available online at: http://www.healthscotland.com/uploads/documents/mortalitystudy.pdf. Accessed on 11.10.2007
- P. Brennan, et al (2003). Secondhand smoke exposure in adulthood and risk of lung cancer among never smokers: A pooled analysis of two large studies. International Journal of Cancer. Vol. 109, No. 1, (December 2003), pp. 125-131.
- Hirayama T. Non-smoking wives of heavy smokers have a higher risk of lung cancer: a study from Japan. BMJ. 1981;282:183–185. Available online at:
- http://www.scielosp.org/pdf/bwho/v78n7/v78n7a13.pdf. Accessed 11.10.2007

 American Society of Heating, Refrigeration and Air Conditioning Engineers (2005).

 Environmental Tobacco Smoke: Position Document Approved by the ASHRAE Board of Directors, June 30, 2005. Available online at:
 - http://www.ashrae.org/content/ASHRAE/ASHRAE/ArticleAltFormat/20058211239_347.pdf; see also, Repace, J. Controlling tobacco smoke pollution. *ASHRAE IAQ Applications* 6(3): 11-15, Summer 2005, http://www.repace.com/pdf/iaqashrae.pdf. Accessed on 11.10.2007

- Balachandar V et al. Evaluation of chromosome aberrations in subjects exposed to environmental tobacco smoke in Tamil Nadu, India. *Bull Environ Contam Toxicol*. 2008. NO MORE INFO AVAILABLE
- Takala, J., Introductory report: decent work, safe work. International Labor Organisation, Geneva, September 2005, p. 16,
 - http://www.ilo.org/public/english/protection/safework/wdcongrs17/intrep.pdf. Accessed on 11.10.2007
- Jaakkola M, Jaakkola J(2006). Impact of smoke-free workplace legislation on exposures and health: possibilities for prevention. *European Respiratory Journal* (2006) 28:397-408. Available online at: http://www.erj.ersjournals.com/cgi/content/abstract/28/2/397.
- Jamrozik K (2005). Estimate of deaths attributable to passive smoking among UK adults: database analysis," *British Medical Journal*. 330:812-24. Available online at: http://www.bmj.com/cgi/rapidpdf/bmj.38370.496632.8Fv3. Accessed 11.10.2007
- Peplow, G (2007). Tests are a breath of fresh air for bar staff. Leicester Mercury, 21 August 2007. Available online:
 - http://www.thisisleicestershire.co.uk/displayNode.jsp?nodeId=132384&command=displayContent&sourceNode=133130&contentPK=18155666&folderPk=77458&pNodeId=133088.

 Accessed on 11.10.2007
- Bates M, Fawcett J, Dickson S, et al (2002). Exposure of hospitality workers to environmental tobacco smoke, *Tobacco Control* (2002) 11:125-9. Available online at: http://www.bvsde.ops-oms.org/foro_hispano/BVS/bvsacd/cd26/tc/v11n2/125.pdf. Accessed on 11.10.2007
- Kay, J (2007). A breath of fresh air. BBC News, 13 July 2007. Available online at: http://news.bbc.co.uk/1/hi/magazine/6898124.stm. Accessed 11.10.2007
- Hayashino Y et al. A prospective study of passive smoking and risk of diabetes in a cohort of workers: the High-risk and populations strategy for occupational health promotion study. *Diabetes Care*. 2008. In press.
 - Zheng P et al. Smoke-free restaurants in Shanghai: should it be mandatory and is it acceptable? *Health Policy*. 2008. In press.
- ¹ World Health Organization (2008). WHO Report on the Global Tobacco Epidemic, 2008: The MPOWER Package. Available at
- http://www.who.int/tobacco/mpower/mpower report full 2008.pdf.
- World Health Organization (1999). International Consultation on Environmental Tobacco Smoke (ETS) and Child Health. January 11-14, 1999. (WHO/NCD/TFI/99.10). Available online at: http://www.ash.org/who-ets-rpt.html. Accessed on 11.10.2007. See, also World Health Organization Tobacco Free Initiative (TFI) at http://www.who.int/tobacco/framework/consultation/ets2/en/.
- ¹ British Medical Association, *Smoking and Reproductive life*, February 2004.
- Wipfli H et al. Secondhand smoke exposure among women and children: evidence from 31 countries. *American Journal of Public Health*. 2008. 98(4):672-679.
- Kwok MK et al. Early life second-hand smoke exposure and serious infectious morbidity during the first 8 years: evidence from Hong Kong's "Children of 1997" birth cohort. *Tobacco Control*. 2008. In press.
- Hill SC and L Liang. Smoking in the home and children's health. *Tobacco Control*. 2008. 17:32-37.
- Zuraimi MS et al. Home exposures to environmental tobacco smoke and allergic symptoms among young children in Singapore. *InternationalArchives of Allergy and Immunology.* 2008. 146:57-65.
- U.S. Department of Health and Human Services. The Health Consequences of Involuntary Exposure to Tobacco Smoke: A Report of the Surgeon General. U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health, 2006. Available online at: http://www.surgeongeneral.gov/library/secondhandsmoke/report. Accessed 11.01.07
- See, e.g., Shiverick, K.T. & C. Salafia, "Cigarette Smoking and Pregnancy I: Ovarian, Uterine and Placental Effects," *Placenta* 20(4): 265-272, May 1999; Ness, R. B., et al., "Cocaine and Tobacco Use and the Risk of Spontaneous Abortion," *New England Journal of Medicine* 340(5): 333-339, February 4, 1999; Chatenoud, L., et al., "Paternal and Maternal Smoking Habits Before Conception and During the First Trimester: Relation to Spontaneous

Abortions," *Annals of Epidemiology* 8(8): 520-26, November 1998; Kline, J., et al., "Smoking: A Risk Factor for Spontaneous Abortions," *New England Journal of Medicine* 291(15): 793-96, October 1977; Raymond, E.G. et al., "Effects of Maternal Age, Parity, and Smoking on the Risk of Stillbirth," *British Journal of Obstetric Gynaecology* 101(4): 301-306, April 1994; Ahlborg, G. Jr. & L.. Bodin, "Tobacco Smoke Exposure and Pregnancy Outcome Among Working Women: A Prospective Study At Prenatal Care Centers In Orebro County, Sweden," *American Journal of Epidemiology* 133(4): 338-347; February 1991; Cooke, R.W., "Smoking, Intra-Uterine Growth Retardation and Sudden Infant Death Syndrome," *International Journal of Epidemiology* 27(2): 238-41 (April 1998). See, also, Campaign for Tobacco-Free Kids, Harm Caused by Pregnant Women Smoking or Being Exposed to Secondhand Smoke. http://tobaccofreekids.org/research/factsheets/pdf/0007.pdf.

Lam, Tai-Hing, et al (2001). The Effects of Environmental Tobacco Smoke on Health Services Utilization in the First Eighteen Months of Life. *Pediatrics* 107(6), June 2001. See, also, Anderson, HR & DG Cook (1997). Passive Smoking and Sudden Infant Death Syndrome: Review of the Epidemiological Evidence. *Thorax* 52: 1003-1009, November, 1997.

References for Myths and Realities Fact Sheet

International Agency for Research on Cancer (July 2002). Monograph 83. Tobacco Smoke and Involuntary Smoking. Summary of Data Reported and Evaluation: Geneva

World Health Organization (2007). Protection from Exposure to Second-hand Tobacco Smoke. Policy Recommendations. Available online at http://www.who.int/tobacco/resources/publications/wntd/2007/who_protection_exposure_final

25June2007.pdf. Accessed 11.01.07

- U.S. Department of Health and Human Services (January 2003). Second national report on human exposure to environmental chemicals (Atlanta, GA): U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Environmental Health. Available online at
- http://www.jhsph.edu/ephtcenter/Second%20Report.pdf. Accessed 11.05.07

 U.S. Department of Health and Human Services. *The Health Consequences of Involuntary Exposure to Tobacco Smoke: A Report of the Surgeon General.* U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health, 2006.

Barnes, D. E.; and Bero, L., "Why review articles on the health effects of passive smoking reach different conclusions," JAMA 279, 19 (20 May 1998): 1566–1570.

Ong EK and Glantz SA (2000) "Tobacco industry efforts subverting International Agency for Research on Cancer's second-hand smoke study." *Lancet* **355**:1253-9.

- World Health Organization (2007). Protection from Exposure to Second-hand Tobacco Smoke. Policy Recommendations. Available online at http://www.who.int/tobacco/resources/publications/wntd/2007/who_protection_exposure_final 25June2007.pdf. Accessed 11.01.07
- J. Dearlove, S. Bialous, and S. Glantz. "Tobacco industry manipulation of the hospitality industry to maintain smoking in public places." *Tobacco Control*, Vol. 11, No. 2 (June 2002), p. 94-105
- ¹ The Charter Group (2003) *The Public Places Charter on Smoking Industry Progress Report.* London: Charter Group.

Northern Ireland Health Minister Paul Goggins, April 30, 2007, Press Release.

Waa A and McGough S (2006). Reducing exposure to second hand smoke: Changes associated with the implementation of the amended New Zealand Environments Act 1990: 2003-2006. Health Sponsorship Council Research and Evaluation Unit: Wellington. Available online at http://www.hsc.org.nz/pdfs/SFEWorkplace_Final.pdf. Accessed 11.01.07

Department of Health and Children (11 August 2004). Improvement in pubs experienced by 70% of population. Available online at http://www.dohc.ie/press/releases/2004/20040811.html. Accessed 11.05.07

California Department of Health Services Tobacco Control Section (October 2005). Indoor & Outdoor Secondhand Smoke Exposure. Available online at http://www.dhs.ca.gov/tobacco/documents/pubs/SecondHandSmoke.pdf. Accessed 11.05.07

Scollo M, Lal A, Hyland A and Glantz S (2003) Review of the quality of studies on the economic effects of smoke-free policies on the hospitality industry, *Tobacco Control* 12:13-20;

Tourism and hotel revenues before and after passage of smoke-free restaurant ordinances. *JAMA* 281(20):1911-8; Ludbrook A, Bird S, Van Teijlingen E (2005) International Review of the Health and Economic Impact of the Regulation of Smoking in Public Places. Edinburgh: NHS Health Scotland; New York City Departments of Finance, Health and Mental Hygiene, Small Business Services and Economic Development Corporation (March 2004) The State of Smoke-free New York City: A one-year review. New York: City of New York.

Glantz SA and Charlesworth A (26 May 1999). Tourism and hotel revenues before and after passage of smoke-free restaurant ordinances. *JAMA* 281(20):1911-8. Available online at http://www.tobaccoscam.ucsf.edu/pdf/3.1.7-Glantz&CharlesworthJAMA.pdf. Accessed 11.05.07

- Ludbrook A, Bird S, and Van Teijlingen E (2005) International Review of the Health and Economic Impact of the Regulation of Smoking in Public Places. Edinburgh: NHS Health Scotland; New York City Departments of Finance, Health and Mental Hygiene, Small Business Services and Economic Development Corporation (March 2004). Available online at http://www.healthscotland.com/uploads/documents/InternationalReviewShortReport.pdf. Accessed 11.05.07
- New York City Department of Finance, New York City Department of Health and Mental Hygiene, New York City Department of Small Business Services, and New York City Economic Development Corporation (March 2004). The State of Smoke-Free New York City: A One-Year Review. Available online at
- http://www.nyc.gov/html/doh/downloads/pdf/smoke/sfaa-2004report.pdf. Accessed 11.04.07 Scollo M, et al, "Review of the quality of studies on the economic effects of smoke-free policies on the hospitality industry", *Tobacco Control* (2003); 12:13-20. Available online at http://tobaccocontrol.bmj.com/cgi/reprint/12/1/13. Accessed 11.04.07
- U.S. Department of Health and Human Services (2006). The health consequences of involuntary exposure to tobacco smoke: a report of the Surgeon General (Atlanta, GA): Department of Health and Human Services, Centers for Disease Control and Prevention, National Centre for Chronic Disease Prevention and Health Promotion, Office of Smoking and Health: Washington, DC. Available online at
- http://www.surgeongeneral.gov/library/secondhandsmoke/report. Accessed 11.01.07

 Jarvis MJ et al. (2000). Children's exposure to passive smoking in England since the 1980s: cotinine evidence from population survey. *British Medical Journal* 321:343-5. Available online at
 - http://www.bmj.com/cgi/content/full/321/7257/343?ijkey=a2dfe7b329b80c790c1bf0ec7038ad1 14db1bced. Accessed 11.05.07
- Borland R et al. (1999). Trends in environmental tobacco smoke restrictions in the home in Victoria, Australia. *Tobacco Control* 8:266-71. Available online at http://tobaccocontrol.bmj.com/cgi/reprint/8/3/266. Accessed 11.05.07
- Borland R et al. (2006). Determinants and consequences of smoke-free homes: findings from the International Tobacco Control (ITC) Four Country Survey. *Tobacco Control* 15 Suppl 3:iii42-50. Available online at http://tobaccocontrol.bmj.com/cgi/reprint/15/suppl_3/iii42. Accessed 11.05.07
- Borland R et al. (1999). Trends in environmental tobacco smoke restrictions in the home in Victoria, Australia. *Tobacco Control* 8:266-71. Available online at http://tobaccocontrol.bmj.com/cgi/reprint/8/3/266. Accessed 11.05.07
- Gilpin EA et al. (2002). Clean indoor air: advances in California, 1990-1999. *American Journal of Public Health* 92(5): 785-91. Available online at http://www.ajph.org/cgi/reprint/92/5/785?ijkey=94f8d743f6474876ac42e01c460d1d7739e46d 54. Accessed 11.05.07
- Global Voices for a Smokefree World: Movement Towards a Smokefree Future, Global Smokefree Partnership (2007). Available online at http://www.globalsmokefreepartnership.org/files/members/files/82.pdf.
- Office of Tobacco Control (2004). Smoke free Workplace Legislation Implementation. Public Health Tobacco Acts
 2002 and 2004. Progress Report, May 2004. Available online at http://otc.ie/uploads/Smoke-free%20workplace%20legilation%20progress%20report%20may%2004%20FINAL.pdf.
 Accessed on 11.11.2007

- Callum C. The UK smoking epidemic: deaths in 1995. London: Health Education Authority, 1998.
- 2. Peto R, Lopez AD, Boreham J, Thun M, Heath Jr C. Mortality from tobacco in developed countries: indirect estimation from national vital statistics. Lancet 1992; 339: 1268-78.
- 3. Our Healthier Nation. Consultation Paper presented to Parliament by the Secretary of State for Health. February 1998. London: The Stationery Office, 1998.
- Wald N, Nicolaides-Bouman A, eds. UK Smoking Statistics. Oxford: Oxford University Press, 1988.
- 5. The figure of 13 million smokers is based on estimates of cigarette smokers in the UK, obtained from the following sources:
- Thomas M, Walker A, Wilmot A, Bennett N, Office for National Statistics. Living in Britain: results from the 1996 General Household Survey. London: The Stationery Office, 1998.
- ONS Monitor Population and Health 1996, PP1 97\1. London: Office for National Statistics, 28 August 1997.
- Northern Ireland Continuous Household Survey, 1996/7. Northern Ireland Statistics and Research Agency, 1997.
- 6. Thomas M, Walker A, Wilmot A, Bennett N, Office for National Statistics. Living in Britain: results from the 1996 General Household Survey. London: The Stationery Office, 1998.
- 7. Lifestyle Changes in Wales. Health in Wales Survey 1996. (Technical Report no 27).
- 8. Northern Ireland Continuous Household Survey, 1996/7. Northern Ireland Statistics and Research Agency, 1997.
- 9. Lindsey Jarvis, Office for National Statistics. Smoking among secondary school children in 1996: England. London: The Stationery Office, 1997
- 10. Joosens L. The effectiveness of banning advertising for tobacco products. International Union Against Cancer, October 1997.
- 11. World Health Organisation. Health for all. Database: European region, 1998
- 12. Pierce JP, Gilpin EA, Emery SL, White MM, Rosbrook B, Berry CC. Has the California tobacco control program reduced smoking? JAMA 1998; 280: 893-899.
- 13. Peto R, Lopez AD, Boreham J et al.: Imperial Cancer Research Fund and World Health Organisation. Mortality from smoking in developing countries 1950-2000. Oxford: Oxford University Press, 1994.
- 14. Office for National Statistics. Population Trends Number 93, Autumn 1998. London: The Stationery Office, 1998.
- 15. Doll R, Peto R. The causes of cancer: quantitative estimates of avoidable risks of cancer in the United States today. J Natl Cancer Inst 1981; 66: 1191-1308.
- 16. Law MR, Hackshaw AK. A meta-analysis of cigarette smoking, bone mineral density and risk of hip fracture: recognition of a major effect. BMJ 1997; 315: 841-846.
- 17. Meltzer M, Gill B, Petticrew M, Hinds K, Office for Population and Census Surveys. Surveys of Psychiatric Morbidity, Report 3: Economic activty and social functioning of adults with psychiatric disorders. London: Her Majesty's Stationery Office, 1994.
- 18. Doll R, Crofton J, eds. British Medical Bulletin: Tobacco and Health. London: The Royal Society of Medicine Press, 1996; (vol 52).
- 19. Buck D, Godfrey C, Parrott S, Raw M, University of York Centre for Health Economics. Cost effectiveness of smoking cessation interventions. London: Health Education Authority, 1997.
- 20. Hackshaw AK, Law M, Wald NJ. The accumulated evidence on lung cancer and environmental tobacco smoke. BMJ 1997; 315: 980-8.
- 21. Law MR, Morris JK, Wald NJ. Environmental tobacco smoke exposure and ischaemic heart disease: an evaluation of the evidence. BMJ 1997; 315: 973-80.
- 22. Cook DG, Strachan DP, Anderson Ross H. Series of papers: health effects of passive smoking. Thorax 1997-1998. Eds Britton JR, Weiss ST.
- 23. Royal College of Physicians of London. Smoking and the young: a report of a working party of the Royal College of Physicians. London: Royal College of Physicians, 1992.
- 24. Department of Health and Social Security, Department of Health and Social Services Northern Ireland, Scottish Home and Health Department. Fourth report of the Independent Scientific Committee on Smoking and Health. London: Her Majesty's Stationery Office, 1988. Chairman: Sir P Froggatt.
- 25. Peto R, Jarvis M. [Personal communication.]

- 26. Drever F, Whitehead M, eds. Health inequalities: decennial supplement: Office for National Statistics. London: The Stationery Office, 1997. (Series DS; no. 15).
- 27. Acheson D. Independent inquiry into inequalities in health. London: The Stationery Office, 1998. Chairman: Sir D Acheson.
- 28. Dorset R, Marsh A. The Health Trap Poverty, Smoking and Lone Parenthood. London (1998). The Policy Studies Institute.
- 29. Labour Party. New Labour because Britain deserves better. London: Labour Party. 1997.
- 30. Townsend J, Roderick P, Cooper J. Cigarette smoking by socioeconomic group, sex, and age: effects of price, income, and health publicity. BMJ 1994; 309: 923-927.
- 31. Sutton S. How ordinary people in Great Britain perceive the health risks of smoking. J Epidemiol Community Health 1998; 52: 338-339.
- 32. Freeth S. Smoking-related behaviour and attitudes, 1997: a report on research using the ONS Omnibus Sur vey produced on behalf of the Department of Health. London: The Stationery Office, 1998.
- 33. United States Department of Health and Human Services. The health benefits of smoking cessation a report of the Surgeon General. US DHHS. Public Health Service, Centers for Disease Control. Center for Chronic disease prevention and health promotion. Office on smoking and health. DHHS Publication number (CDC) 90-8416,1990.
- Raw M, McNeill A, West R. Smoking Cessation Guidelines for Health Professionals. A Guide to Effective Smoking Cessation Interventions for the Health Care System. Thorax, December 1998, 53, Supplement 5.
- Anthonisen NR, Connett JE, Kiley JP, et al. Effects of smoking intervention and the use of an inhaled anticholinergic bronchodilator on the rate of decline of FEV1: the Lung Health Study. JAMA 1994; 272: 1497-1505.
- 36. QUIT, Helping Smokers to Quit. London: QUIT, 1994, updated 1996.
- 37. Fowler G. BMJ 1997; 314: 1827 and references cited therein.
- 38. Marsh A, McKay S. Poor smokers. London: Policy Studies Institute, 1994. (Research Report; no. 771).
- 39. Hecht SS, Carmella SG, Chen ML, Salzberger U, Tollner U, Lackmann GM. Metabolites of the tobacco-specific lung carcinogen 4-(methylnitrosoamino)-1-(3-pyridyl)-1-butanone (nnk) in the urine of newborn infants. Abstracts Papers Am Chem Soc 1998: 216; 32.
- 40. Foster K, Lader D, Cheesbrough S. Infant Feeding 1995: Office for National Statistics. London: The Stationery Office. 1997.
- 41. University of York NHS Centre for Reviews and Dissemination, Effectiveness Matters, (1998), Vol 3, Issue 1.
- 42. Barron J. Young teenagers and smoking in 1997. London: Office for National Statistics.
- 43. Bjartviet K, Lund KE. The Norwegian ban on advertising of tobacco products: has it worked? Norwegian Cancer Society & Norwegian Health Association.
- 44. Health Education Authority, London. [Unpublished research.]
- 45. Health and Safety Executive. Passive smoking at work. Sheffield: Health and Safety Executive, 1998.
- 46. Cigarette wars in Africa. Lancet 1997; 350: 793.
- 47. Office for National Statistics: Business Monitor 210: Q2. Overseas trade analysed in terms of Industries. London: The Stationery Office, 1998.
- 48. Parrott S, Godfrey C, Raw M, West R, McNeill A. Guidance for Commissioners on the Cost Effectiveness of Smoking Cessation Interventions. Thorax December 1998, 53, Supplement 5.

Other Sources of Information on Tobacco and Second-Hand Smoke

- 1. Voluntary Health Association of India (VHAI); Resource Centre for Tobacco Free India (Virtual resource centre). URL: http://rctfi.org
- 2. International Union Against Tuberculosis and Lung Disease (The Union); Union Website for tobacco control information and factsheets. URL: http://www.tobaccofreeunion.org
- 3. Global Smokefree Partnership; Global Voices for a Smokefree World: Movement Towards a Smokefree Future URL: http://www.globalsmokefreepartnership.org
- 4. Campaign for Tobacco-Free Kids. Research and Facts and many other information sources on this website. URL: http://www.tobaccofreekids.org
- 5. American Lung Association; Secondhand smoke fact sheet. One of many resources available at URL: http://www.lungusa.org
- 6. World Health Organisation; Tobacco Free Initiative (TFI); URL http://www.who.int/tobacco
- 7. Gilpin, E. A., et. al., (2002) Clean indoor air: advances in California, 1990-1999. American Journal of Public Health 92(5): 785-91
- 8. Pierce, J. P., Gilpin, E.A., Emery, S.L., White, M.M., Rosbrook, B., Berry, C.C., (1998) Has the California tobacco control program reduced smoking? JAMA 1998; 280: 893-899
- 9. Cook, D. G., Strachan, D.P., Anderson, Ross, H., (1998) Series of papers: health effects of passive smoking. Thorax 1997-1998. Eds Britton JR, Weiss ST
- 10. Hackshaw, A. K., Law, M., Wald, N.J., (1997) The accumulated evidence on lung cancer and environmental tobacco smoke BMJ 1997; 315: 980-8